MAY FLOWER SCHOOL

(A Senior Secondary School Affiliated to CBSE, Delhi, Affiliation No. 330068)

Run & Managed by Akshay Deep Sansthan.

Jai Prakash Nagar, P.O. Digha Ghat, Patna-800 011

School No. 65066

Phones: 0612-2560462, 9473371289

Website: www.mfspatna.com E-mail: info@mfspatna.com

Ref. No.: mfs/SMC/2026 Date. 09-10-2026

S. No.	Name	Address	Occupation	Qualification	Designation	Mob. No.	Terms of Membership
1.	Mr. Satyam Siddharth	J. P.Nagar,Digha, Patna-800011	Director	MBA	Manager cum Chairman	8826755979	Chairman
2.	Dr.Priya	Housing Colony, Kankarbagh, Patna	Principal	PhD, B. Ed	Member Secretary	7250612888	General Secretary
3.	Mrs. Renu Sinha	J. P.Nagar,Digha, Patna-800011	Trustee	Graduate	Trustee	9973239250	Member of Trust
4.	Mr. Shivam	Akbarpur, Nalanda, Bihar-801302	Trustee	Graduate	Trustee	8210314740	Member of Trust
5.	Dr. Radhika Kizhakkumkara	301, Pankaj Apt., A.N.Path, Boring Road, Patna - 800013	Principal	M.A., B. Ed.	Educationist	9386312680	3 years
6.	Dr. Rakesh Roushan	Road No. 25 A, Rajeev Nagar,Ghurdaur Road,Phulwari, Patna,Bihar-800024	Principal	Ph.D., M. Ed, LLB	Educationist	8210952154	3 Years
7.	Mr. Amit Kumar Mishra	Krishnanagar, Sultanganj, Bhagalpur	Vice-Principal	M.Sc., B. Ed	Teacher Representative	9334933522	3 Years
8.	Ms. Ruchi Bihari	201, Kishan Colony, Phase 2,Pragatv Path, Nutan Kunj,ANisabad,patna-800002	TGT	M.A., B.Ed.	Teacher Representative	8709510392	3 Years
9.	Ms. Bibha Kumari	Pritam Kumar, Anadpur House,Road No.21 E, Rajiv Nagar, Phulwari, Patna-800024	House Wife	Graduate	Parent Representative	8579060171	3 Years
10.	Ms. Payal	Bazar Samiti, B-18,Emco Campus, Sandalpur, Sampatchak,Bihar-800006	House Wife	M.A.	Parent Representative	7091373542	3 Years
11	Ms. Sweta Sharma	Shiv Shanti Colony, Delha, Gaya-823002	Teacher	B. A., B. Ed.	Parent Representative	8539019082	3 Years
12.	Ms. Archana Devi	Chanrapur, Kumaitha, Bhagalpur- 813227	House Wife	B. A.	Parent Representative	8651094608	3 Years

13.	Ms. Smriti Snigdha	K. V. ,Khagaul	Principal		CBSE Representative	9435076075, 8789034393	
14.	Mr.Mithlesh Kumar	K.V., Bailey Road, Patna	Principal		CBSE Representative	8527443723	
15.	Mr.S. K. Jha	DAV, Khagul	Principal		CBSE Representative		

School Manager/Chairman

प्रबंधक/MANAGER
मे फ्लावर स्कूल/MAY FLOWER SCHOOL
पटना/PATNA-800 011

General Secretary/Principal

प्राचार्य / PRINCIPAL
मे फ्लावर स्कूल / MAY FLOWER SCHOOL
पटना / PATNA-800 011

कार्यालय, जिला अग्निशमन अधिकारी, पटना

पत्रांक/ऑडिट- **PA2026A15679**

दिनांक- **16/09/2026**

☏ **+91 9031841733**

✉ **fire-dfo-patna@gov.in**

सेवा में,

SATYAM SIDDHARTH / MAY FLOWER SCHOOL,
JAI PRAKASH NAGAR,DIGHA,PATNA 800011 / JAI PRAKASH NAGAR,DIGHA, Patna, 800011
Email id: info@mfspatna.com, Mob No.: 8826755979

विषयः- **अग्नि अंकेक्षण प्रमाण-पत्र के संबंध में।**

महाशय,

उपर्युक्त विषय के संबंध में कहना है कि आपके द्वारा दिनांक **20/07/2026** को अग्नि अंकेक्षण हेतु आवेदन समर्पित किया गया था। अनुमण्डल अग्निशामालय पदाधिकारी **लोदीपुर** द्वारा दिनांक **24/07/2026** को अग्नि अंकेक्षण कर बिहार अग्निशमन सेवा नियमावली, 2021 के नियम 22 (ख) में वर्णित प्रपत्र 'श' निर्गत किया गया। अग्नि अंकेक्षण के दौरान पायी गई कमियों/त्रुटियों का निराकरण किया गया है।

इस प्रकार, बिहार अग्निशमन सेवा नियमावली 2021 एवं राष्ट्रीय भवन संहिता 2016 के तहत भवन/परिसर में अग्नि निवारण एवं अग्नि सुरक्षा के उपाय क्रियाशील एवं पर्याप्त प्रतीत हो रहे है।

अतः आपको वार्षिक अग्नि अंकेक्षण प्रमाण-पत्र निर्गत किया जा रहा है। इसकी वैधता निर्गत की तिथि से एक वर्ष की होगी। संबंधित संस्थान प्रबंधक/मालिक उक्त संस्थान के प्रमाण-पत्र की वैध तिथि से पूर्व अग्नि अंकेक्षण कराना सुनिश्चित करें।

ह०/-
जिला अग्निशमन पदाधिकारी, पटना

प्रतिलिपिः-

01. निदेशक-सह-राज्य अग्निशमन पदाधिकारी, बिहार, पटना को सादर सूचनार्थ।
02. अनुमण्डल अग्निशामालय पदाधिकारी, **लोदीपुर** को सूचनार्थ एवं आवश्यक क्रियार्थ प्रेषित।

जिला अग्निशमन पदाधिकारी, पटना

Annexure D

BUILDING SAFETY CERTIFICATE

No. 70 Dated: 09/07/24

It is certified that the existing building MAY FLOWER SCHOOL ...(name of the building or premises) at DIGHA-ASHIANA, PATNA-800011 ..... (address) is having block(s)/Floor(s) as per details below:

Detail of Block(s) in school	Block (1)	Block (2)	Block (3)	Block (4)	Block (5)	Block (6)
No. of Floor(s) in the Block	G+3	G+3				

The building is owned/occupied by MAY FLOWER SCHOOL ..... (name of the Institution) have complied with the Building safety requirements in accordance with National Building code Rules, and verified by the officers concerned of BUILDING CONSTRUCTION DEP. (BIHAR) ... (Name of Department/ Govt.) on 09/07/24 (date of inspection) in the presence of SATYAM SIDDHARTH, DIGHA, PATNA ..... (name and addresses of the Manager/Secretary or his representative) and that the building/premises is fit for occupancy for running school with effect from 09/07/24 for a period of 01 (ONE) years in accordance with rule and subject to compliance of the specific conditions as appended.

1.
2.
3.
4.

Issued on 09/07/24 at PATNA by

* Strike out whichever is not applicable. In case of block is more than six use separate sheet for detail.

Suman 09/07/24

Signature with Seal

Name : SUMAN KUMAR

अवर प्रमंडल पदाधिकारी
पटना पश्चिम भवन अवर प्रमंडल सं० II

Designation : ASSISTANT ENGINEER

Name & Address of Department/ Office: BCD, BIHAR PATNA

APPENDIX –XIII

PROFORMA FOR SAFE DRINKING WATER AND SANITARY CONDITION CERTIFICATE

No. 401 Dated: 19.07.2024

It is certified that an inspection team headed by Reeturaj, A.E.

(Name of Officers with designation) from P.H. Division, Patna East, Patna.

(Name of Department/Office) inspected the May Flower School

(Name & Address of the School on 18.07.2024 (Date of inspection) and found that the May Flower School (Name of School) has safe drinking water facilities for the students and members of staff of the institution and is maintaining the hygienic sanitation condition in the school building & the campus as per norms prescribed by the Central/State/U.T. Govt.

The above is valid for a period of One Year.

19/7/2024

सहायक अभियंता
लोक स्वा०अ०प्र०
विशवविद्यालय, अगमकुआँ, पटना

Signature with Seal :

Name : Reeturaj

Designation : Assistant Engineer

Name & Address of the Office / Department:

To

The Principal

May Flower School, Jai Prakash Nagar, Digha, Patna - 800011.

*** The filled up certificate should be either in Hindi or English. If it is issued in vernacular language, translated notarized version in English be uploaded along with the original vernacular certificate as a single pdf.**

Appendix X

CERTIFICATE OF LAND

File No. 4267

Date: 06/11/2024

Certified that the land measuring **8215** (Area of land in Square meters) is owned by the **Kishore Singh and Heeramani Sharma** by way of **Sale Deed.**

It is further certified that owner of the land has leased the said land to **May Flower School** fully described in the schedule mentioned hereinafter with the following details for a period of 40 years from **01.10.1998 to 30.09.2038.**

SL	Particulars	Details
1.	Plot No. (s)/ Survey No. (s)/Khasra No. (s)/Khata No.(s) /Khatauni No.(s)	**2270**
2.	Name of street/village, Sub Division, District and State	Jai Prakash Nagar, Digha, Patna-800011, Bihar

It is certified that the said entire land comprise of a single contiguous plot of land. It is further certified that May Flower School, Jai Prakash Nagar, Digha, Patna-800011, Bihar (Name of the School with name of street, village, sub-division and district) run by name of **Akshay Deep Sansthan (A Registered Public Trust)** is located on the said plot of land.

THE SCHEDULED OF LAND ABOVE REFERRED TO

All that piece and parcel of land measuring **8215** (area of land in square meters) situated in **2270** [Plot No. (s)/Survey No.(s)/ Khasra No. (s)] at **Digha, Patna Sadar, Patna-800011, Bihar** (name of street/village, sub division, district and state) and bounded as follows:

North : **Road**

East : **Road**

West : **Digha-Ashiyana Road**

South : **Road**

DM/ ADM/ SDM/ TEHSILDAR/ NAIB TEHSILDAR/ REGISTRAR/ SUB- REGISTRAR/EQUIVALENT LAND AUTHORITY

संयुक्त अवर निबंधक कार्यालय
सत्यमेव जयते
पटना

06/11/24

(Stamp and Signature of the land authority)

पप्पु कुमार
संयुक्त अवर निबंधक
पटना

(Name of Officer)

6/11/24

(Name of District)

6/11

* The filled up certificate should be either in Hindi or English. If it is issued in vernacular language, translated notarized version in English be uploaded along with the original vernacular certificate as a single pdf.

पत्रांक .....250..... पटना / दिनांक 05/07/2024

प्रेषक,

शोध पदाधिकारी,
(वरीय अनुसंधान पदाधिकारी)
राज्य स्तरीय जल जाँच प्रयोगशाला,
(लोक स्वास्थ्य संस्थान, छज्जुबाग)
लोक स्वास्थ्य अभियंत्रण विभाग, बिहार, पटना।

सेवा में,

Principal
May Flower School
Jai Prakash Nagar, P.O.- Digha Ghat,
Patna – 800011.

विषय :– जल जाँच प्रतिवेदन निर्गत करने के संबंध में।

प्रसंग :– आपका पत्रांक – mfs/2B/RSJ/101/2024 दिनांक – 02.07.2024

महाशय,

उपरोक्त प्रासंगिक पत्र के आलोक में कुल 01 अदद जल नमूना का सभी पारामीटर जाँच हेतु भेजा गया था। जाँचोपरांत जाँच प्रतिवेदन संलग्न कर भेजी जा रही है।

अनु० :– यथोपरि।

विश्वासभाजन

5.7.24

शोध पदाधिकारी
(वरीय अनुसंधान पदाधिकारी)
राज्य स्तरीय जल जाँच प्रयोगशाला,
(लोक स्वास्थ्य संस्थान, छज्जुबाग)
लोक स्वास्थ्य अभियंत्रण विभाग, बिहार, पटना।

Ranishankar
05.07.24

	STATE LEVEL WATER TESTING LABORATORY P.H.E.D., GOVERNMENT OF BIHAR	Format No.: SLWTL/FRM/02	
		Issue No.: 238	
	TEST REPORT	Issue Date:05.07.2024	Certificate No.: TC-5752

Report No: SLWTL/2024/GW-11515	**ULR No.-** TC575224000000238F	**Date of Reporting:**05.07.2024
Name of the Organisation/Person: May Flower School		
Location Details: Jai Prakash Nagar, P.O.-Digha Ghat, Patna - 800011		
Ref Memo No: mfs/2B/RSJ/101/2024, Dated- 02.07.2024	**Sample Received on:** 02.07.2024	
Sample Collected by SLWTL ***(SLWTL collect sample followed by the Sampling Procedure "SLWTL/PCD/02/15")***:No		
Type of Sample: Ground Water	**Source of Sample:** Boring Water	
Volume of Sample: 1 Ltr	**Type of Container:** Plastic	
Mode of Preservation: Preserved	**Sample Condition:** Sealed	
Deviation of Method , If Any: NIL	**Date of Sampling:**02.07.2024	
Date of Analysis Started: 03.07.2024	**Date of Analysis Completed:** 05.07.2024	
Remarks: Submitted sample of water confirm to IS:10500-2012 with respect to tested parameters.		

Sl. No.	Parameters	Minimum Detection Limit	Desirable Limit*	Permissible Limit* in absence of alternate source	Method of Testing Parameters (APHA 23rd Ed. 2017)	Results
1	pH Value	2.0	6.5-8.5	No relaxation	4500-H^+B, 4-95 to 4-99	7.44
2	Turbidity, NTU	4.0	1	5	2130 B, 2-13 to 2-15	<4.0
3	Conductivity, µmhos/cm	1.0	-	-	2510 B, 2-58 to 2-59	679.20
4	Total Dissolved Solid, mg/l	10.0	500	2000	2540C, 2-69 to 2-70	442.00
5	Total Hardness(as $CaCO_3$), mg/l	10.0	200	600	2340C, 2-48 to 2-50	264.00
6	Calcium(as Ca), mg/l	5.0	75	200	3500-Ca B, 3-69	54.51
7	Magnesium(as Mg), mg/l	2.0	30	100	3500-Mg B, 3-86	31.04
8	Chloride(as Cl), mg/l	5.0	250	1000	4500-Cl B, 4-75	17.99
9	Alkalinity(as $CaCO_3$), mg/l	10.0	200	600	2320B, 2-37	296.00
10	Iron(as Fe), mg/l	0.01	1.0	No relaxation	3500-FeB 3-80 to 3-82	0.36
11	Nitrate(as NO_3), mg/l	1.0	45	No relaxation	4500-NO_3B, 4-127, to 4-129	<1.0
12	Sulphate(as SO_4), mg/l	5.0	200	400	4500-SO4 E , 4-199 to 4-200	11.90
13	Fluoride(as F), mg/l	0.01	1.0	1.5	4500-F C, 4-90 –4-92	0.37
14	Arsenic(as As), mg/l	0.005	0.01	No relaxation	3500-As A & B,3-66 to 3-68	<0.005

Note: * (i) Drinking Water Specification Second Revision -IS: 10500:2012.,ND=Not Done, NR=Not Required.

Ravishankar 05.07.24
(Ravi Shankar)
Signature of Lab-In-charge

Copy forwarded to: (i) S.R.O , PHED, Govt. of Bihar, (ii) Engineer-in-Chief, PHED, Govt. of Bihar

Lab-Incharge
SLWTL PHED Patna
Received By

1.The results are reported based on the materials received. 2.Sample will be destroyed after 15 Days from the date of issue of the test report subject to nature of preparation unless otherwise specified. 3.Sample will be preserved according to standard method. The test report shall not be reproduced except in full, without the written permission of the competent authority of the Laboratory.

------- END OF TEST REPORT -------

Prepared by:	Approved by:	Issued by:	Page 1 of 2
Quality Manager	S.R.O cum Technical Manager	Research Assistant cum Lab-in-charge	Revision No.: 0
			Revision Date: Nil

	STATE LEVEL WATER TESTING LABORATORY P.H.E.D., GOVERNMENT OF BIHAR	Format No.: SLWTL/FRM/02
		Issue No.: 238
	TEST REPORT	Issue Date:05.07.2024

Report No:SLWTL/2024/GW-11515	**Date of Reporting:**05.07.2024
Name of the Organisation/Person: May Flower School	
Location Details: Jai Prakash Nagar, P.O.-Digha Ghat, Patna - 800011	
Ref Memo No: mfs/2B/RSJ/101/2024, Dated- 02.07.2024	**Sample Received on:** 02.07.2024
Sample Collected by SLWTL ***(SLWTL collect sample followed by the Sampling Procedure "SLWTL/PCD/02/15")***:No	
Type of Sample: Ground Water	**Source of Sample:** Boring Water
Volume of Sample: 250 ml.	**Type of Container:** Plastic
Mode of Preservation: Preserved	**Sample Condition:**Sealed
Deviation of Method , If Any: NIL	**Date of Sampling:** 02.07.2024
Date of Analysis Started: 03.07.2024	**Date of Analysis Completed:** 05.07.2024
Remarks: Submitted sample of water confirm to IS:10500-2012 with respect to tested parameters.	

Sl. No.	Parameters	Minimum Detection Limit	Desirable Limit*	Permissible Limit* in absence of alternate source	Method of Testing Parameters (APHA 23rd Ed. 2017)	Results
1	Manganese (as Mn), mg/l, Max	0.01	0.10	0.30	IS, 3025 (Part 59)	<0.01
2	Coliform Organisms, MPN/100ml	--	--	**	M-Test-Tube Technique	Absent

Note: * (i) Drinking Water Specification Second Revision -IS: 10500:2012.,ND=Not Done, NR=Not Required.
**Shall not be detectable in any 100 ml sample

Ravi Shankar 05.07.24
(Ravi Shankar)
Signature of Lab-In-charge

Copy forwarded to: (i) S.R.O , PHED, Govt. of Bihar, (ii) Engineer-in-Chief, PHED, Govt. of Bihar

Lab-In-charge
SLWTL PHED, Patna
Received By

1.The results are reported based on the materials received. 2.Sample will be destroyed after 15 Days from the date of issue of the test report subject to nature of preparation unless otherwise specified. 3.Sample will be preserved according to standard method. The test report shall not be reproduced except in full, without the written permission of the competent authority of the Laboratory.

------- END OF TEST REPORT -------

Prepared by:	Approved by:	Issued by:	Page 2 of 2
Quality Manager	S.R.O cum Technical Manager	Research Assistant cum Lab-in-charge	Revision No.: 0
			Revision Date: Nil